

10/665227

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Patentee: Ebright, et al.

Patent No.: 6,919,333 B2

Issued: July 19, 2005

Docket: 744-37 PCT/US/CIP I

For: BIS-TRANSITION-METAL-  
CHELATE PROBES

Dated: August 2, 2005

I hereby certify this correspondence is being deposited  
with the United States Postal Service as first class mail,  
postpaid in an envelope, addressed to: Commissioner for  
Patents, P.O. Box 1450, Alexandria, VA 22313-1450

Date: August 2, 2005

Signature: K.J. Goodhand/



Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Certificate

AUG 10 2005

of Correction

Attention: Decision and Certificate of Correction  
Branch of the Patent Issue Division

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR APPLICANT'S MISTAKE UNDER 37 C.F.R. §1.323**

Sir:

Patentee respectfully requests correction of the mistakes in the above-referenced U.S.  
Patent No. 6,919,333 B2. In particular:

Patentee notes that at column 23, line 28, the printed patent incorrectly reads  
"...electrophoresis can performed...". The patent should read --...electrophoresis can be  
performed...--.

08/05/2005 MWOLDGE1 00000044 6919333

01 FC:1811

100.00 OP

AUG 10 2005

Patentee notes that at column 26, line 32, the printed patent incorrectly reads "...sometimes referred at as capillary gel...". The patent should read --...sometimes referred to as capillary gel...--.

Patentee notes that at column 33, lines 1-2, the printed patent incorrectly reads "...may also generally includes at least one...". The patent should read --...may also generally include at least one...--.

Patentee notes that at column 33, line 3, the printed patent incorrectly reads "...one reagent the promotes the...". The patent should read --...one reagent that promotes the...--.

Patentee notes that at column 33, line 17, the printed patent incorrectly reads "...solutions; (g) one or more...". The patent should read --...solutions; (e) one or more...--.

Patentee notes that at column 33, line 18, the printed patent incorrectly reads "...buffers; and (h) one or more...". The patent should read --...buffers; and (f) one or more...--.

These mistakes are typographical errors on the part of the Applicant and are believed to be of minor character. Appropriate correction of these errors is therefore respectfully requested.


Attached herewith in duplicate please find a fully completed Form PTO-SB-44 with at least one copy being suitable for printing. In addition, a check in the amount of \$100.00, as required by 37 C.F.R. §1.20(a) is enclosed. If additional fees are required, please charge Deposit Account No. 08-2461.

Please forward the Certificate of Correction to:

Daniel A. Scola, Jr., Esq.  
Hoffmann & Baron, LLP  
6900 Jericho Turnpike  
Syosset, NY 11791

Any questions concerning this communication should be directed to the undersigned agent, who can be reached by telephone at (973) 331-1700.

Respectfully submitted,



Gloria K. Szakiel  
Registration No. 45,149  
Agent for Applicant(s)

HOFFMANN & BARON, LLP  
6900 Jericho Turnpike  
Syosset, New York 11791  
(973) 331-1700

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,919,333 B2

DATED : July 19, 2005

INVENTOR(S) : Ebright, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 23, line 28, the printed patent should read "...electrophoresis can be performed...".

At column 26, line 32, the printed patent should read "...sometimes referred to as capillary gel...".

At column 33, lines 1-2, the printed patent should read "...may also generally include at least one...".

At column 33, line 3, the printed patent should read "...one reagent that promotes the...".

At column 33, line 17, the printed patent should read "...solutions; (e) one or more...".

At column 33, line 18, the printed patent should read "...buffers; and (f) one or more...".

MAILING ADDRESS OF SENDER: Daniel A. Scola, Jr.  
Hoffmann & Baron, LLP  
6900 Jericho Turnpike  
Syosset, NY 11791-4407

PATENT NO. 6,919,333 B2

No. of additional copies

 1

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,919,333 B2

DATED : July 19, 2005

INVENTOR(S) : Ebright, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 23, line 28, the printed patent should read "...electrophoresis can be performed...".

At column 26, line 32, the printed patent should read "...sometimes referred to as capillary gel...".

At column 33, lines 1-2, the printed patent should read "...may also generally include at least one...".

At column 33, line 3, the printed patent should read "...one reagent that promotes the...".

At column 33, line 17, the printed patent should read "...solutions; (e) one or more...".

At column 33, line 18, the printed patent should read "...buffers; and (f) one or more...".

MAILING ADDRESS OF SENDER: Daniel A. Scola, Jr.  
Hoffmann & Baron, LLP  
6900 Jericho Turnpike  
Syosset, NY 11791-4407

PATENT NO. 6,919,333 B2

No. of additional copies

 1

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.